

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/17/2020 Revision date: 3/22/2023 Supersedes version of: 7/7/2022 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : ADORATION

UFI : 1ADR-V2V6-1007-TDF8

Product code : BEL090

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BelCandle

Rue de la Jonction,53 6880 BERTRIX BELGIQUE

Tél.: 0032 491 74 59 81

contact@belcandle.be www.belcandle.be

1.4. Emergency telephone number

Emergency number : Belgique : +32 070 245 245 ; France : +33 (0)1 45 42 59 59 ;

Luxembourg: +32 (0) 70 245 245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Benzyl benzoate, Hexyl cinnamic aldehyde, Ethyl linalool, Hexyl salicylate, Benzyl

salicylate, Helional, Phenoxyethanol, Citronellol Pure, Bourgeonal, Hydroxy, Allyl ionone,

Bergamot oil, Linalyl acetate, Linalool

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

H411 - Toxic to aquatic life with long lasting effects.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	37.6 – 75.272	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	1.4 – 3.8035	Eye Irrit. 2, H319
3,7-Dimethyl-1,6-nonadien-3-ol	CAS-No.: 10339-55-6 EC-No.: 233-732-6 REACH-no: 01-2119969272- 32	1.1 – 2.1	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.7 – 1.3	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.5 – 1.05	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenoxyethanol substance with national workplace exposure limit(s) (AT, DE, FI, PL, SI, CH)	CAS-No.: 122-99-6 EC-No.: 204-589-7 EC Index-No.: 603-098-00-9 REACH-no: 01-2119488943- 21	0.5 – 1.05	Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Eye Dam. 1, H318
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.41 – 1.0431	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.5 – 1.0003	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.5 – 0.95	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.3 – 0.65	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.3 – 0.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.3 – 0.55	Aquatic Chronic 3, H412
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.20774 – 0.36548	Eye Irrit. 2, H319 Skin Sens. 1B, H317
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2- buten-1-ol	CAS-No.: 28219-60-5 EC-No.: 248-907-2	0.2 – 0.35	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Skin Irrit. 2, H315
Bergamot oil	CAS-No.: 8007-75-8 EC-No.: 289-612-9	0.1 – 0.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
bourgeonal	CAS-No.: 18127-01-0 EC-No.: 242-016-2	0.1 – 0.15	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 3, H412
Allyl ionone	CAS-No.: 79-78-7 EC-No.: 201-225-9	0.1 – 0.15	Aquatic Chronic 2, H411 Skin Sens. 1B, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.1 – 0.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.07233 – 0.14466	Not classified
Ethyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103-	0 – 0.05	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336
decyl alcohol substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0014	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0004	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures

: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Phenoxyethanol (122-99-6)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	110 mg/m³

3/22/2023 (Revision date) EN (English) 5/25

Safety Data Sheet

Phenoxyethanol (122-99-6)		
MAK (OEL TWA) [ppm]	20 ppm	
MAK (OEL STEL)	110 mg/m³	
MAK (OEL STEL) [ppm]	20 ppm	
OEL C	110 mg/m³	
OEL C [ppm]	20 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	110 mg/m³	
HTP (OEL TWA) [2]	20 ppm	
HTP (OEL STEL)	290 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	5.7 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	230 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	5.7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	5.7 mg/m³	
OEL STEL [ppm]	1 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	110 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	20 ppm (aerosol, vapour)	
KZGW (OEL STEL)	110 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm]	20 ppm (aerosol, vapour)	
Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
OEL TWA [ppm]	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	61 mg/m³	
OEL TWA [2]	10 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA [2]	10 ppm	
OEL STEL [ppm]	30 ppm (calculated)	

Safety Data Sheet

Sample S	Ponzul acotato (140.11.4)		
OEL TWA Introduction and Exposure Limits IPRV (OEL TWA) S mg/m² OEL TWA [ppm] OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA [ppm] OEL TWA [ppm] OEL STEL 80 mg/m² OEL STEL [ppm] 13 ppm OEL STEL [ppm] 13 ppm OEL STEL [ppm] 14 ppm OEL STEL [ppm] 15 ppm OEL STEL [ppm] 16 ppm OEL STEL [ppm] 17 ppm OEL STEL [ppm] OEL STEL [ppm] OEL TWA [ppm] OEL TWA [ppm] OEL TWA [ppm] OEL STEL [ppm] OEL STEL [ppm] OEL TWA [ppm] OEL Chemical category Skin notation OEL TWA [ppm] OEL TWA [ppm	Benzyl acetate (140-11-4)		
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA (ppm) 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ OEL TWA 50 mg/m³ OEL STEL 80 mg/m³ OEL STEL 80 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ ACGIH OEL TWA) [2] 10 ppm ACGIH - Occupational Exposure Limits ACGIH - OEL TWA [1] 10 ppm ACGIH - OEL		F / 2	
IPRV (OEL TWA) 5 mg/m³		5 mg/m³	
Portugal - Occupational Exposure Limits OEL TWA [ppm] 10 ppm OEL demical category A4 - Not Classifiable as a Human Cardinogen Romania - Occupational Exposure Limits OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m² OEL STEL 80 mg/m² OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m² VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH Chemical category Not Classifiable as a Human Cardinogen Carbitol (111-90) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm MAK (OEL TWA) [ppm] 6 ppm MAK (OEL STEL) 140 mg/m² MAK (OEL STEL) [ppm] 24 ppm Estonia - Occupational Exposure Limits OEL TWA [ppm] 10 ppm OEL twan [ppm] 10 ppm OEL TWA [ppm] 6 ppm ASGIH OEL STEL [ppm] 24 ppm Estonia - Occupational Exposure Limits OEL TWA [ppm] 10 ppm OEL CHAN [ppm] 10 ppm OEL CHAN [ppm] 10 ppm OEL TWA [ppm] 10 ppm			
OEL TWA [ppm]		5 mg/m³	
OEL chemical category Romania - Occupational Exposure Limits OEL TWA So mg/m³ OEL STEL So mg/m³ OEL TWA) [2] So pm OED SO mg/m³ OEL STEL OEL TWA) [2] So pm OEL STEL So mg/m³ OEL TWA) So mg/m³ OEL TWA OEL TWA) So mg/m³ OEL TWA OEL TWA OEL STEL So So mg/m³ OEL TWA			
Romania - Occupational Exposure Limits			
OEL TWA 50 mg/m² OEL TWA [ppm] 8 ppm OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH OEL TWA [ppm] 10 ppm ACGIH OEL TWA [ppm] ACGIH OEL TWA [ppm] ACGIH Chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm MAK (OEL TWA) [ppm] 6 ppm MAK (OEL STEL) [ppm] 24 ppm Estonia - Occupational Exposure Limits OEL TWA [ppm] OEL TWA [ppm] 10 ppm OEL TWA [ppm] 10 ppm OEL Chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits Fopm (the risk of damage to the embryo or fetus can be exclud		A4 - Not Classifiable as a Human Carcinogen	
OEL TWA [ppm] 8 ppm			
OEL STEL 80 mg/m³ OEL STEL [ppm] 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH OEL TWA [ppm] 10 ppm ACGIH CH-mical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm MAK (OEL STEL) [ppm] 24 ppm Estonia - Occupational Exposure Limits OEL TWA [ppm] 10 ppm OEL TWA [ppm] 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA [ppm] 6 ppm	OEL TWA	50 mg/m³	
DEL STEL [ppm] 13 ppm	OEL TWA [ppm]	8 ppm	
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) [1] 62 mg/m³ VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm MAK (OEL TWA) [ppm] 6 ppm MAK (OEL STEL) 140 mg/m³ MAK (OEL STEL) 140 mg/m³ Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m³ OEL TWA 50.1 mg/m³ OEL TWA [ppm] 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA (ppm) 6 ppm OEL TWA (ppm) 6 ppm OEL TWA (ppm) 70 mg/m³	OEL STEL	80 mg/m³	
VLA-ED (OEL TWA) [1] 62 mg/m² VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm MAK (OEL TWA) [ppm] 6 ppm MAK (OEL STEL) 140 mg/m³ MAK (OEL STEL) [ppm] 24 ppm Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m³ OEL TWA 50.1 mg/m³ OEL Chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 25 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 25 mg/m³	OEL STEL [ppm]	13 ppm	
VLA-ED (OEL TWA) [2] 10 ppm USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) [ppm] 6 ppm MAK (OEL TWA) [ppm] 6 ppm MAK (OEL STEL) 140 mg/m³ MAK (OEL STEL) [ppm] 24 ppm Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m³ OEL TWA [ppm] 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA 35 mg/m³ OEL TWA [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [0EL TWA] [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA [0EL TWA] [2] 70 mg/m³ OEL TWA [0EL TWA] [2] 70 mg/m³	Spain - Occupational Exposure Limits		
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL STEL) 140 mg/m³ MAK (OEL STEL) 15 ppm] 24 ppm Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m³ OEL TWA 50.1 mg/m³ OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA 35 mg/m³ OEL TWA 6 9pm 6 ppm OEL STEL 70 mg/m³	VLA-ED (OEL TWA) [1]	62 mg/m³	
ACGIH OEL TWA [ppm] 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm MAK (OEL STEL) 140 mg/m³ MAK (OEL STEL) [ppm] 24 ppm Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m³ OEL TWA 50.1 mg/m³ OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL TWA [ppm] 6 ppm OEL TWA [ppm] 6 ppm	VLA-ED (OEL TWA) [2]	10 ppm	
ACGIH chemical category Not Classifiable as a Human Carcinogen Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) MAK (OEL TWA) [ppm] MAK (OEL STEL) MAK (OEL STEL) MAK (OEL STEL) [ppm] Estonia - Occupational Exposure Limits OEL TWA So.1 mg/m³ OEL TWA [ppm] OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm	USA - ACGIH - Occupational Exposure Limits		
Carbitol (111-90-0) Austria - Occupational Exposure Limits MAK (OEL TWA) 35 mg/m³ MAK (OEL TWA) [ppm] 6 ppm MAK (OEL STEL) 140 mg/m³ MAK (OEL STEL) [ppm] 24 ppm Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m³ OEL TWA [ppm] 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	ACGIH OEL TWA [ppm]	10 ppm	
Austria - Occupational Exposure Limits MAK (OEL TWA)	ACGIH chemical category	Not Classifiable as a Human Carcinogen	
MAK (OEL TWA) [ppm] 6 ppm MAK (OEL TWA) [ppm] 6 ppm MAK (OEL STEL) 140 mg/m³ MAK (OEL STEL) [ppm] 24 ppm Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m³ OEL TWA [ppm] 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	Carbitol (111-90-0)		
MAK (OEL TWA) [ppm] 6 ppm MAK (OEL STEL) 140 mg/m³ MAK (OEL STEL) [ppm] 24 ppm Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m³ OEL TWA [ppm] 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	Austria - Occupational Exposure Limits		
MAK (OEL STEL) [ppm] 24 ppm Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m³ OEL TWA [ppm] 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	MAK (OEL TWA)	35 mg/m³	
Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m³ OEL TWA [ppm] 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	MAK (OEL TWA) [ppm]	6 ppm	
Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m³ OEL TWA [ppm] 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	MAK (OEL STEL)	140 mg/m³	
OEL TWA [ppm] 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	MAK (OEL STEL) [ppm]	24 ppm	
OEL TWA [ppm] 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	Estonia - Occupational Exposure Limits		
OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	OEL TWA	50.1 mg/m³	
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	OEL TWA [ppm]	10 ppm	
AGW (OEL TWA) [1] 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	OEL chemical category	Skin notation	
BGW values are observed) AGW (OEL TWA) [2] 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³			
Values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	AGW (OEL TWA) [1]	e i	
OEL TWA 35 mg/m³ OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	AGW (OEL TWA) [2]		
OEL TWA [ppm] 6 ppm OEL STEL 70 mg/m³	Slovenia - Occupational Exposure Limits		
OEL STEL 70 mg/m³	OEL TWA	35 mg/m³	
	OEL TWA [ppm]	6 ppm	
OEL STEL [ppm] 12 ppm	OEL STEL	70 mg/m³	
i la companya da la c	OEL STEL [ppm]	12 ppm	

Safety Data Sheet

Carbitol (111-90-0)		
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	80 mg/m³	
NGV (OEL TWA) [ppm]	15 ppm	
KTV (OEL STEL)	170 mg/m³	
KTV (OEL STEL) [ppm]	30 ppm	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	50 mg/m³ (aerosol, inhalable dust, vapour)	
KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)	
decyl alcohol (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
OEL TWA [ppm]	15 ppm	
OEL STEL	200 mg/m³	
OEL STEL [ppm]	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	66 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm]	10 ppm (aerosol, vapour)	
Ethyl acetate (141-78-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	734 mg/m³	
IOEL TWA [ppm]	200 ppm	
IOEL STEL	1468 mg/m³	
IOEL STEL [ppm]	400 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	734 mg/m³	

Safety Data Sheet

Ethyl acetate (141-78-6)	
MAK (OEL TWA) [ppm]	200 ppm
MAK (OEL STEL)	1468 mg/m³
MAK (OEL STEL) [ppm]	400 ppm
Belgium - Occupational Exposure Limits	
OEL TWA	734 mg/m³
OEL TWA [ppm]	200 ppm
OEL STEL	1468 mg/m³
OEL STEL [ppm]	400 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	734 mg/m³
OEL TWA [ppm]	200 ppm
OEL STEL	1468 mg/m³
OEL STEL [ppm]	400 ppm
Croatia - Occupational Exposure Limits	
GVI (OEL TWA) [1]	734 mg/m³
GVI (OEL TWA) [2]	200 ppm
KGVI (OEL STEL)	1468 mg/m³
KGVI (OEL STEL) [ppm]	400 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA	734 mg/m³
OEL TWA [ppm]	200 ppm
OEL STEL	1468 mg/m³
OEL STEL [ppm]	400 ppm
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	700 mg/m³
Denmark - Occupational Exposure Limits	
OEL TWA [1]	540 mg/m³
OEL TWA [2]	150 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	500 mg/m³
OEL TWA [ppm]	150 ppm
OEL STEL	1100 mg/m³
OEL STEL [ppm]	300 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	730 mg/m³
HTP (OEL TWA) [2]	200 ppm
HTP (OEL STEL)	1470 mg/m³
HTP (OEL STEL) [ppm]	400 ppm

Safety Data Sheet

Ethyl acetate (141-78-6)		
France - Occupational Exposure Limits		
VME (OEL TWA)	1400 mg/m³	
VME (OEL TWA) [ppm]	400 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	730 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	200 mg/m³	
OEL TWA [ppm]	734 ppm	
OEL STEL	400 mg/m³	
OEL STEL [ppm]	1468 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	734 mg/m³	
CK (OEL STEL)	1468 mg/m³	
OEL chemical category	Sensitizer	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	734 mg/m³	
OEL TWA [2]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	200 mg/m³	
OEL TWA [ppm]	54 ppm	
Lithuania - Occupational Exposure Limits	Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	500 mg/m³	
IPRV (OEL TWA) [ppm]	150 ppm	
NRV (OEL C)	1100 mg/m³	
NRV (OEL C) [ppm]	300 ppm	

Safety Data Sheet

Ethyl acetate (141-78-6)		
Luxembourg - Occupational Exposure Limits		
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	734 mg/m³	
TGG-15min (OEL STEL)	1468 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	734 mg/m³	
NDSCh (OEL STEL)	1468 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	734 mg/m³ (indicative limit value)	
OEL TWA [ppm]	200 ppm (indicative limit value)	
OEL STEL	1468 mg/m³ (indicative limit value)	
OEL STEL [ppm]	400 ppm (indicative limit value)	
Romania - Occupational Exposure Limits		
OEL TWA	400 mg/m³	
OEL TWA [ppm]	111 ppm	
OEL STEL	500 mg/m³	
OEL STEL [ppm]	139 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	734 mg/m³	
NPHV (OEL TWA) [2]	200 ppm	
NPHV (OEL C)	1100 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
OEL TWA [ppm]	200 ppm	
OEL STEL	1468 mg/m³	
OEL STEL [ppm]	400 ppm	
Spain - Occupational Exposure Limits	Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	734 mg/m³	
VLA-ED (OEL TWA) [2]	200 ppm	
VLA-EC (OEL STEL)	1468 mg/m³	
VLA-EC (OEL STEL) [ppm]	400 ppm	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethyl acetate (141-78-6)		
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	550 mg/m³	
NGV (OEL TWA) [ppm]	150 ppm	
KTV (OEL STEL)	1100 mg/m³	
KTV (OEL STEL) [ppm]	300 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	734 mg/m³	
WEL TWA (OEL TWA) [2]	200 ppm	
WEL STEL (OEL STEL)	1468 mg/m³	
WEL STEL (OEL STEL) [ppm]	400 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	734 mg/m³	
Grenseverdi (OEL TWA) [2]	200 ppm	
Korttidsverdi (OEL STEL)	1468 mg/m³ (value from the regulation)	
Korttidsverdi (OEL STEL) [ppm]	400 ppm (value from the regulation)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	730 mg/m³	
MAK (OEL TWA) [2]	200 ppm	
KZGW (OEL STEL)	1460 mg/m³	
KZGW (OEL STEL) [ppm]	400 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	400 ppm	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m³	
HTP (OEL STEL) [ppm]	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m³	
NDSCh (OEL STEL)	80 mg/m ³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. : characteristic. Odour Odour threshold : Not available : Not applicable Melting point Freezing point : Not available : Not available Boiling point Flammability : Not applicable **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : > 93 °C (closed cup) ASTM D7094

Auto-ignition temperature : Not available : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure : Not available Vapour pressure at 50°C Density : Not available : Not available Relative density

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

ADORATION	
ATE CLP (oral)	661.763 mg/kg bodyweight
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h

Safety Data Sheet

3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)		
LD50 oral	5000 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (6	33500-71-0)	
LD50 dermal rabbit	> 2000 mg/kg	
Hexyl salicylate (6259-76-3)		
LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Benzyl salicylate (118-58-1)		
LD50 oral rat	2227 mg/kg	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
Helional (1205-17-0)		
LD50 dermal rabbit	> 2000 mg/kg	
Phenoxyethanol (122-99-6)		
LD50 oral rat	1850 mg/kg	
LD50 oral	1394 mg/kg bodyweight	
LD50 dermal rabbit	5 ml/kg	
LC50 Inhalation - Rat	> 0.057 mg/l (Exposure time: 8 h)	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg	
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	2650 mg/kg	
LD50 dermal	2650 mg/kg bodyweight	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
LD50 oral rat	570 mg/kg	
LD50 oral	1000 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
bourgeonal (18127-01-0)		
LD50 oral rat	2700 mg/kg	
LD50 oral	2500 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
Hydroxy (107-75-5)		
LD50 oral rat	> 5 g/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg	
LD50 oral	2490 mg/kg bodyweight	

Safety Data Sheet

Benzyl acetate (140-11-4)	
LD50 dermal rabbit	> 5000 mg/kg
Bergamot oil (8007-75-8)	
LD50 oral rat	11520 mg/kg
Linalyl acetate (115-95-7)	
	I
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight
Carbitol (111-90-0)	
LD50 oral rat	10502 mg/kg
LD50 dermal rabbit	9143 mg/kg
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h)
decyl alcohol (112-30-1)	
LD50 oral rat	4720 mg/kg
LD50 dermal rabbit	3560 mg/kg
	3300 Hig/kg
Ethyl acetate (141-78-6)	
LD50 oral rat	5620 mg/kg
LD50 dermal rabbit	> 18000 mg/kg
LC50 Inhalation - Rat [ppm]	4000 ppm/4h
Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg
LD50 dermal rabbit	> 8100 mg/kg
Skin corrosion/irritation :	Not classified
	Causes serious eye irritation.
• •	May cause an allergic skin reaction.
ů ,	Not classified
Carcinogenicity :	Not classified
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
·	Not classified
<u> </u>	Not classified
Phenoxyethanol (122-99-6)	
STOT-single exposure	May cause respiratory irritation.
Ethyl acetate (141-78-6)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified
bourgeonal (18127-01-0)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long–term : Toxic to aquatic life with long lasting effects.

(chronic)

Benzyl benzoate (120-51-4)			
LC50 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])			
NOEC (chronic)	0.168 mg/l		
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)			
LC50 - Fish [1]	24 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])		
Benzyl salicylate (118-58-1)			
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])		
Phenoxyethanol (122-99-6)			
LC50 - Fish [1]	337 – 352 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
LC50 - Fish [2]	366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 - Crustacea [1]	> 500 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)		
Linalyl acetate (115-95-7)			
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])		
Linalool (78-70-6)			
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)		
Carbitol (111-90-0)			
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])		
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
decyl alcohol (112-30-1)			
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Ethyl acetate (141-78-6)			
LC50 - Fish [1]	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
LC50 - Fish [2]	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethyl acetate (141-78-6)	
EC50 - Crustacea [1] 560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
Aldehyde C-6 (66-25-1)	
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

12.2. Persistence and degradability

Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

12.3. bloaccumulative potential		
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
3,7-Dimethyl-1,6-nonadien-3-ol (10339-55-6)		
Partition coefficient n-octanol/water (Log Pow)	3.3 (at 20 °C)	
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol (6	33500-71-0)	
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)	
Hexyl salicylate (6259-76-3)		
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)	
Benzyl salicylate (118-58-1)		
Partition coefficient n-octanol/water (Log Pow)	4	
Helional (1205-17-0)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)	
Phenoxyethanol (122-99-6)		
Partition coefficient n-octanol/water (Log Pow)	1.107	
Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)	
bourgeonal (18127-01-0)		
Partition coefficient n-octanol/water (Log Pow)	3.2 (at 20 °C (at pH 7)	
Hydroxy (107-75-5)		
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carbitol (111-90-0)		
Partition coefficient n-octanol/water (Log Pow)	-0.8	
decyl alcohol (112-30-1)		
Partition coefficient n-octanol/water (Log Pow) 4.5 (at 25 °C (at pH 6)		
Ethyl acetate (141-78-6)		
BCF - Fish [1]	(30 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	0.73 (at 20 °C (at pH 7)	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
 - HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	Not regulated	Not regulated

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate)	Not regulated	Not regulated
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
9	9	9	Not regulated	Not regulated
	9		Not regulated	Not regulated
14.4. Packing group				
III	III	III	Not regulated	Not regulated
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Not regulated	Not regulated
No supplementary informatio	n available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) : PP1 Special packing provisions (IMDG) IBC packing instructions (IMDG) : IBC03 : T4 Tank instructions (IMDG) Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Bergamot oil ; Ethyl acetate ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(b)	ADORATION BEL090; Benzyl benzoate; Hexyl cinnamic aldehyde; 3,7-Dimethyl-1,6-nonadien-3-ol; 2-lsobutyl-4-methyltetrahydro-2H-pyran-4-ol; Hexyl salicylate; Benzyl salicylate; Benzyl salicylate; Helional; Phenoxyethanol; Citronellol Pure; bourgeonal; Hydroxy; Allyl ionone; Bergamot oil; Linalyl acetate; 2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol; Linalool; Ethyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	ADORATION BEL090; Benzyl benzoate; Hexyl cinnamic aldehyde; Hexyl salicylate; Benzyl salicylate; Helional; bourgeonal; Benzyl acetate; Allyl ionone; Bergamot oil; 2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol; decyl alcohol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Bergamot oil ; Ethyl acetate ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Bergamot oil is listed

SZW-lijst van mutagene stoffen : Bergamot oil is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid

: None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	

Safety Data Sheet

Abbreviations and acronyms:		
EN	European Standard	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 1	Flammable liquids, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
H224	Extremely flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H361	Suspected of damaging fertility or the unborn child.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.