

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/18/2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : PETALES ROSES UFI : K2Y9-F18V-K00A-70C9

Product code : BEL062

Type of product : Perfumes, fragrances Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

> For professional use only : Perfumes, fragrances

Use of the substance/mixture : Odour agents Function or use category

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### **BELCANDLE**

Rue de la Jonction,53 6880 BERTRIX **BELGIQUE** 

Tél.: 0032 491 74 59 81 info@belcandle.be

#### 1.4. Emergency telephone number

Emergency number : Belgique: +32 070 245 245; France: +33 (0)1 45 42 59 59; Luxembourg: +32 (0) 70 245 245

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

H319 Serious eye damage/eye irritation, Category 2 H317 Skin sensitisation, Category 1 Hazardous to the aquatic environment - Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

# 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP) : Warning

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Hexyl cinnamic aldehyde; Linalyl acetate; Vertenex; Linalool; Geraniol; Nerol; Citronellol

Pure; Iso E Super; Benzyl salicylate; Triplal (Vertocitral); Hydroxy; Lemon oil; Isocyclocitral;

Damascone Beta

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name                    | Product identifier  | %          | Classification according to<br>Regulation (EC) No. 1272/2008<br>[CLP] |
|-------------------------|---|------------|---|
| Hexyl cinnamic aldehyde | CAS-No.: 101-86-0<br>EC-No.: 202-983-3<br>REACH-no: 01-2119533092-<br>50                                | 2.1 – 4.2  | Skin Sens. 1, H317<br>Aquatic Chronic 2, H411                         |
| Linalyl acetate         | CAS-No.: 115-95-7<br>EC-No.: 204-116-4<br>REACH-no: 01-2119454789-<br>19                                | 1.4 – 2.8  | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317       |
| Hexamethylindanopyran   | CAS-No.: 1222-05-5<br>EC-No.: 214-946-9<br>EC Index-No.: 603-212-00-7<br>REACH-no: 01-2119488227-<br>29 | 1.3 – 2.65 | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410                      |
| Vertenex                | CAS-No.: 32210-23-4<br>EC-No.: 250-954-9<br>REACH-no: 01-2119976286-<br>24                              | 1.1 – 2.1  | Skin Sens. 1B, H317   |
| Linalool                | CAS-No.: 78-70-6<br>EC-No.: 201-134-4<br>EC Index-No.: 603-235-00-2<br>REACH-no: 01-2119474016-         | 1.1 – 2.1  | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1B, H317      |

# Safety Data Sheet

| Name  | Product identifier   | %                     | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|---|--|-----------------------|---|
| Verdox  | CAS-No.: 88-41-5<br>EC-No.: 201-828-7<br>REACH-no: 01-2119970713-<br>33                                | 0.8 – 1.5             | Aquatic Chronic 2, H411   |
| beta-lonone   | CAS-No.: 14901-07-6<br>EC-No.: 238-969-9   | 0.8 – 1.5             | Aquatic Chronic 2, H411   |
| Citronellol Pure  | CAS-No.: 106-22-9<br>EC-No.: 203-375-0<br>REACH-no: 01-2119453995-<br>23                               | 0.724 – 1.425         | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1B, H317  |
| Iso E Super   | CAS-No.: 54464-57-2<br>EC-No.: 259-174-3<br>REACH-no: 01-2119489989-<br>04                             | 0.7 – 1.4             | Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Aquatic Chronic 1, H410  |
| Benzyl salicylate   | CAS-No.: 118-58-1<br>EC-No.: 204-262-9<br>EC Index-No.: 607-754-00-5<br>REACH-no: 01-2119969442-<br>31 | 0.7 – 1.4             | Eye Irrit. 2, H319<br>Skin Sens. 1B, H317<br>Aquatic Chronic 3, H412  |
| Phenylethyl alcohol   | CAS-No.: 60-12-8<br>EC-No.: 200-456-2<br>REACH-no: 01-2119963921-<br>31                                | 0.6 – 1.25            | Acute Tox. 4 (Oral), H302<br>Eye Irrit. 2, H319   |
| Geraniol  | CAS-No.: 106-24-1<br>EC-No.: 203-377-1<br>EC Index-No.: 603-241-00-5<br>REACH-no: 01-2119552430-       | 0.4 – 1.05            | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317   |
| Nerol   | CAS-No.: 106-25-2<br>EC-No.: 203-378-7   | 0.24 – 0.75           | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317   |
| Hydroxy   | CAS-No.: 107-75-5<br>EC-No.: 203-518-7<br>REACH-no: 01-2119973482-<br>31                               | 0.20774 –<br>0.410836 | Eye Irrit. 2, H319<br>Skin Sens. 1B, H317   |
| Triplal (Vertocitral)   | CAS-No.: 68039-49-6<br>EC-No.: 268-264-1   | 0.2 – 0.4             | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317<br>Aquatic Chronic 3, H412                  |
| Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)                               | CAS-No.: 141-97-9<br>EC-No.: 205-516-1   | 0.2 – 0.35            | Not classified  |
| Lemon oil   | CAS-No.: 8008-56-8<br>EC-No.: 284-515-8  | 0.2 – 0.35            | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Repr. 2, H361<br>Aquatic Chronic 2, H411 |
| Benzyl acetate<br>substance with national workplace exposure limit(s)<br>(BE, DK, ES, IE, LT, LV, PT, RO) | CAS-No.: 140-11-4<br>EC-No.: 205-399-7<br>REACH-no: 01-2119638272-<br>42                               | 0.1 – 0.28            | Aquatic Chronic 3, H412   |

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name  | Product identifier  | %                     | Classification according to Regulation (EC) No. 1272/2008 [CLP]       |
|---|---|-----------------------|---|
| Isocyclocitral  | CAS-No.: 1335-66-6<br>EC-No.: 215-638-7   | 0.1 – 0.21            | Eye Irrit. 2, H319<br>Skin Sens. 1B, H317<br>Aquatic Chronic 3, H412  |
| Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH) | CAS-No.: 111-90-0<br>EC-No.: 203-919-7<br>REACH-no: 01-2119475105-<br>42                                | 0.07233 –<br>0.101262 | Not classified  |
| Damascone Beta  | CAS-No.: 23726-92-3<br>EC-No.: 245-843-7  | 0.1 – 0.1             | Skin Irrit. 2, H315<br>Skin Sens. 1B, H317<br>Aquatic Chronic 2, H411 |
| Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)       | CAS-No.: 5392-40-5<br>EC-No.: 226-394-6<br>EC Index-No.: 605-019-00-3<br>REACH-no: 01-2119462829-<br>23 | 0.008 - 0.045         | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317       |

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

| First-aid measures general          | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical |
|-------------------------------------|---|
|                                     | advice (show the label where possible).   |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Allow affected person to |

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated

clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Obtain medical attention if pain,

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

controls/personal protection".

#### 6.3. Methods and material for containment and cleaning up

For containment

Other information

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

: Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products Incompatible materials

Storage temperature

: Strong bases. Strong acids.: Sources of ignition. Direct sunlight.

: 25 °C

Storage area

: Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

9/18/2023 (Issue date) EN (English) 5/19

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| Citral (5392-40-5)                         |   |  |
|--|---|--|
| Belgium - Occupational Exposure Limits     |   |  |
| OEL TWA                                    | 32 mg/m³ (vapor and aerosol)  |  |
| OEL TWA [ppm]                              | 5 ppm (vapor and aerosol)   |  |
| OEL chemical category                      | Skin  |  |
| Ireland - Occupational Exposure Limits     |   |  |
| OEL TWA [2]                                | 5 ppm   |  |
| OEL STEL [ppm]                             | 15 ppm (calculated)   |  |
| Poland - Occupational Exposure Limits      |   |  |
| NDS (OEL TWA)                              | 27 mg/m³  |  |
| NDSCh (OEL STEL)                           | 54 mg/m³  |  |
| Portugal - Occupational Exposure Limits    |   |  |
| OEL TWA [ppm]                              | 5 ppm (inhalable fraction; vapor)   |  |
| OEL chemical category                      | Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure   |  |
| Spain - Occupational Exposure Limits       |   |  |
| VLA-ED (OEL TWA) [2]                       | 5 ppm (inhalable fraction and vapor)  |  |
| OEL chemical category                      | Sensitizer, skin - potential for cutaneous absorption   |  |
| USA - ACGIH - Occupational Exposure Limits |   |  |
| ACGIH OEL TWA [ppm]                        | 5 ppm (inhalable fraction and vapor)  |  |
| ACGIH chemical category                    | Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer |  |
| Ethyl acetoacetate (141-97-9)              |   |  |
| Romania - Occupational Exposure Limits     |   |  |
| OEL TWA                                    | 100 mg/m³   |  |
| OEL TWA [ppm]                              | 19 ppm  |  |
| OEL STEL                                   | 200 mg/m³   |  |
| OEL STEL [ppm]                             | 38 ppm  |  |
| Benzyl acetate (140-11-4)                  |   |  |
| Belgium - Occupational Exposure Limits     |   |  |
| OEL TWA                                    | 62 mg/m³  |  |
| OEL TWA [ppm]                              | 10 ppm  |  |
| Denmark - Occupational Exposure Limits     |   |  |
| OEL TWA [1]                                | 61 mg/m³  |  |
| OEL TWA [2]                                | 10 ppm  |  |
| OEL STEL                                   | 122 mg/m³   |  |
| OEL STEL [ppm]                             | 20 ppm  |  |

# Safety Data Sheet

| Benzyl acetate (140-11-4)                         |   |  |  |
|---|---|--|--|
| Ireland - Occupational Exposure Limits            |   |  |  |
| OEL TWA [2]                                       | 10 ppm  |  |  |
| OEL STEL [ppm]                                    | 30 ppm (calculated)   |  |  |
| Latvia - Occupational Exposure Limits             |   |  |  |
| OEL TWA   | 5 mg/m³   |  |  |
| Lithuania - Occupational Exposure Limits          |   |  |  |
| IPRV (OEL TWA)                                    | 5 mg/m³   |  |  |
| Portugal - Occupational Exposure Limits           |   |  |  |
| OEL TWA [ppm]                                     | 10 ppm  |  |  |
| OEL chemical category                             | A4 - Not Classifiable as a Human Carcinogen   |  |  |
| Romania - Occupational Exposure Limits            |   |  |  |
| OEL TWA   | 50 mg/m³  |  |  |
| OEL TWA [ppm]                                     | 8 ppm   |  |  |
| OEL STEL  | 80 mg/m³  |  |  |
| OEL STEL [ppm]                                    | 13 ppm  |  |  |
| Spain - Occupational Exposure Limits              |   |  |  |
| VLA-ED (OEL TWA) [1]                              | 62 mg/m³  |  |  |
| VLA-ED (OEL TWA) [2]                              | 10 ppm  |  |  |
| USA - ACGIH - Occupational Exposure Limits        |   |  |  |
| ACGIH OEL TWA [ppm]                               | 10 ppm  |  |  |
| ACGIH chemical category                           | Not Classifiable as a Human Carcinogen  |  |  |
| Carbitol (111-90-0)                               |   |  |  |
| Austria - Occupational Exposure Limits            |   |  |  |
| MAK (OEL TWA)                                     | 35 mg/m³  |  |  |
| MAK (OEL TWA) [ppm]                               | 6 ppm   |  |  |
| MAK (OEL STEL)                                    | 140 mg/m³   |  |  |
| MAK (OEL STEL) [ppm]                              | 24 ppm  |  |  |
| Estonia - Occupational Exposure Limits            |   |  |  |
| OEL TWA   | 50.1 mg/m³  |  |  |
| OEL TWA [ppm]                                     | 10 ppm  |  |  |
| OEL chemical category                             | Skin notation   |  |  |
| Germany - Occupational Exposure Limits (TRGS 900) |   |  |  |
| AGW (OEL TWA) [1]                                 | 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) |  |  |
| AGW (OEL TWA) [2]                                 | 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)    |  |  |
| Slovenia - Occupational Exposure Limits           |   |  |  |
| OEL TWA   | 35 mg/m³  |  |  |
| OEL TWA [ppm]                                     | 6 ppm   |  |  |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Carbitol (111-90-0)                        |   |  |
|--|---|--|
| OEL STEL                                   | 70 mg/m³                                    |  |
| OEL STEL [ppm]                             | 12 ppm                                      |  |
| Sweden - Occupational Exposure Limits      |   |  |
| NGV (OEL TWA)                              | 80 mg/m³                                    |  |
| NGV (OEL TWA) [ppm]                        | 15 ppm                                      |  |
| KTV (OEL STEL)                             | 170 mg/m³                                   |  |
| KTV (OEL STEL) [ppm]                       | 30 ppm                                      |  |
| OEL chemical category                      | Skin notation                               |  |
| Switzerland - Occupational Exposure Limits |   |  |
| MAK (OEL TWA) [1]                          | 50 mg/m³ (aerosol, inhalable dust, vapour)  |  |
| KZGW (OEL STEL)                            | 100 mg/m³ (aerosol, inhalable dust, vapour) |  |

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

## Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

## 8.2.2.2. Skin protection

# Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow, amber. Conforms to standard.

Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : Not applicable **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available : > 93 °C Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available pН : Not available Viscosity, kinematic Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Acute toxicity (inhalation)        | Not classified                  |  |
|------------------------------------|---------------------------------|--|
| Hexyl cinnamic aldehyde (101-86-0) |                                 |  |
| LD50 oral rat                      | 3100 mg/kg (Source: NLM_CIP)    |  |
| LD50 oral                          | 3100 mg/kg bodyweight           |  |
| LD50 dermal rabbit                 | > 3000 mg/kg (Source: EPA_HPV)  |  |
| LC50 Inhalation - Rat              | > 5 mg/l/4h                     |  |
| Linalyl acetate (115-95-7)         |                                 |  |
| LD50 oral rat                      | 14550 mg/kg (Source: EPA_HPV)   |  |
| LD50 dermal rabbit                 | > 5000 mg/kg (Source: EPA_HPV)  |  |
| Hexamethylindanopyran (1222-05-5)  |                                 |  |
| LD50 oral rat                      | > 3250 mg/kg (Source: CHEMVIEW) |  |
| LD50 dermal rabbit                 | > 3250 mg/kg (Source: CHEMVIEW) |  |
| Vertenex (32210-23-4)              |                                 |  |
| LD50 oral rat                      | 5 g/kg (Source: NLM_CIP)        |  |
| LD50 oral                          | 3370 mg/kg bodyweight           |  |
| LD50 dermal rabbit                 | > 5000 mg/kg (Source: CHEMVIEW) |  |
| Linalool (78-70-6)                 |                                 |  |
| LD50 oral                          | 2790 mg/kg bodyweight           |  |
| Verdox (88-41-5)                   |                                 |  |
| LD50 oral rat                      | 4600 mg/kg (Source: NLM_CIP)    |  |
| LD50 oral                          | 4600 mg/kg bodyweight           |  |
| beta-lonone (14901-07-6)           |                                 |  |
| LD50 oral rat                      | 4590 mg/kg (Source: NLM_HSDB)   |  |
| LD50 oral                          | 3940 mg/kg bodyweight           |  |
| Geraniol (106-24-1)                |                                 |  |
| LD50 oral rat                      | 3600 mg/kg (Source: NLM_CIP)    |  |
| LD50 oral                          | 3600 mg/kg bodyweight           |  |
| LD50 dermal rabbit                 | > 5 g/kg (Source: NLM_CIP)      |  |
| Nerol (106-25-2)                   |                                 |  |
| LD50 oral rat                      | 4500 mg/kg (Source: NLM_CIP)    |  |

# Safety Data Sheet

| Nerol (106-25-2)                   |                                  |
|------------------------------------|----------------------------------|
| LD50 oral                          | 4500 mg/kg bodyweight            |
| LD50 dermal rabbit                 | > 5 g/kg (Source: NLM_CIP)       |
| Citronellol Pure (106-22-9)        |                                  |
| LD50 oral rat                      | 3450 mg/kg (Source: NLM_CIP)     |
| LD50 oral                          | 3450 mg/kg bodyweight            |
| LD50 dermal rabbit                 | 2650 mg/kg (Source: EPA_HPV)     |
| LD50 dermal                        | 2650 mg/kg bodyweight            |
| Citral (5392-40-5)                 |                                  |
| LD50 oral rat                      | 4960 mg/kg (Source: NLM_CIP)     |
| LD50 dermal rabbit                 | 2250 mg/kg (Source: NLM_CIP)     |
| Benzyl salicylate (118-58-1)       |                                  |
| LD50 oral rat                      | 2227 mg/kg (Source: NLM_CIP)     |
| LD50 oral                          | 2200 mg/kg bodyweight            |
| LD50 dermal rabbit                 | > 5000 mg/kg (Source: CHEMVIEW)  |
| Phenylethyl alcohol (60-12-8)      |                                  |
| LD50 oral rat                      | 1609 mg/kg (Source: EPA_HPV)     |
| LD50 oral                          | 1610 mg/kg bodyweight            |
| LD50 dermal rabbit                 | 2535 mg/kg (Source: EPA_HPV)     |
| LD50 dermal                        | 2500 mg/kg bodyweight            |
| LC50 Inhalation - Rat              | > 4.63 mg/l/4h                   |
| Triplal (Vertocitral) (68039-49-6) |                                  |
| LD50 oral                          | 3900 mg/kg bodyweight            |
| Hydroxy (107-75-5)                 |                                  |
| LD50 oral rat                      | > 5 g/kg (Source: NLM_CIP)       |
| LD50 dermal rabbit                 | > 2000 mg/kg (Source: ECHA_API)  |
| Ethyl acetoacetate (141-97-9)      |                                  |
| LD50 oral rat                      | 3980 mg/kg (Source: NLM_CIP)     |
| LD50 dermal rabbit                 | > 5000 mg/kg (Source: NLM_CIP)   |
| Lemon oil (8008-56-8)              |                                  |
| LD50 oral rat                      | 2840 mg/kg (Source: NLM_CIP)     |
| Benzyl acetate (140-11-4)          |                                  |
| LD50 oral rat                      | 2490 mg/kg (Source: JAPAN_GHS)   |
| LD50 oral                          | 2490 mg/kg bodyweight            |
| LD50 dermal rabbit                 | > 5000 mg/kg (Source: JAPAN_GHS) |
| Isocyclocitral (1335-66-6)         |                                  |
| LD50 oral rat                      | 4500 mg/kg (Source: NLM_CIP)     |
| LD50 oral                          | 3220 mg/kg bodyweight            |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Carbitol (111-90-0)               |   |
|-----------------------------------|---|
| LD50 oral rat                     | 10502 mg/kg (Source: OECD_SIDS)                   |
| LD50 dermal rabbit                | 9143 mg/kg (Source: OECD_SIDS)                    |
| LC50 Inhalation - Rat             | > 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP) |
| Damascone Beta (23726-92-3)       |   |
| LD50 oral                         | 2920 mg/kg bodyweight                             |
| Skin corrosion/irritation         | : Not classified                                  |
| Serious eye damage/irritation     | : Causes serious eye irritation.                  |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction.            |
| Germ cell mutagenicity            | : Not classified                                  |
| Carcinogenicity                   | : Not classified                                  |
| Benzyl acetate (140-11-4)         |   |
| IARC group                        | 3 - Not classifiable                              |
| Reproductive toxicity             | : Not classified                                  |
| STOT-single exposure              | : Not classified                                  |
| STOT-repeated exposure            | : Not classified                                  |
| Aspiration hazard                 | : Not classified                                  |
|                                   |   |

# 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic)

| Linalyl acetate (115-95-7)         |  |
|------------------------------------|--|
| LC50 - Fish [1]                    | 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA) |
| Hexamethylindanopyran (1222-05-5)  |  |
| LC50 - Fish [1]                    | 0.452 mg/l Wolf, 1996d-27682   |
| LC50 - Other aquatic organisms [1] | > 0.14 mg/l REACH DOSSIER Pimephales promelas  |
| EC50 - Crustacea [2]               | 260 μg/l REACH Dossier   |
| EC50 - Other aquatic organisms [1] | 0.131 mg/l REACH Dossier   |
| Vertenex (32210-23-4)              |  |
| LC50 - Fish [1]                    | 8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA) |
| Linalool (78-70-6)                 |  |
| EC50 96h - Algae [1]               | 88.3 mg/l (Species: Desmodesmus subspicatus)   |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Geraniol (106-24-1)           |  |
|-------------------------------|--|
| LC50 - Fish [1]               | 22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)                         |
| Nerol (106-25-2)              | 3 ( 1  |
| LC50 - Fish [1]               | 20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)                  |
|                               | 20.3 mg/r (Exposure time, 90 m - Species, Danio reno (Semi-Static) Gource, EGITA)                  |
| Citral (5392-40-5)            |  |
| EC50 - Crustacea [1]          | 7 mg/l (Exposure time: 48 h - Species: Daphnia magna)  |
| EC50 72h - Algae [1]          | 16 mg/l (Species: Desmodesmus subspicatus)   |
| EC50 96h - Algae [1]          | 19 mg/l (Species: Desmodesmus subspicatus)   |
| Benzyl salicylate (118-58-1)  |  |
| LC50 - Fish [1]               | 1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)                  |
| Phenylethyl alcohol (60-12-8) |  |
| EC50 - Crustacea [1]          | 287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)   |
| EC50 72h - Algae [1]          | 490 mg/l (Species: Desmodesmus subspicatus)  |
| Ethyl acetoacetate (141-97-9) |  |
| LC50 - Fish [1]               | 298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)                       |
| LC50 - Fish [2]               | 290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)                       |
| EC50 - Crustacea [1]          | 646 mg/l (Exposure time: 48 h - Species: Daphnia magna)  |
| EC50 72h - Algae [1]          | > 500 mg/l (Species: Desmodesmus subspicatus)  |
| Carbitol (111-90-0)           |  |
| LC50 - Fish [1]               | 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)               |
| LC50 - Fish [2]               | 19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA) |
| EC50 - Crustacea [1]          | 3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)                                    |

# 12.2. Persistence and degradability

| PEONY PETALS #EU14793F        |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

# 12.3. Bioaccumulative potential

| PEONY PETALS #EU14793F  |                                       |  |
|---|---------------------------------------|--|
| Bioaccumulative potential   | Not established.                      |  |
| Linalyl acetate (115-95-7)  |                                       |  |
| Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C)          |                                       |  |
| Hexamethylindanopyran (1222-05-5)                                       |                                       |  |
| BCF - Fish [1]  | (1618 dimensionless (whole body w.w.) |  |
| Partition coefficient n-octanol/water (Log Pow) 5.3 (at 25 °C (at pH 7) |                                       |  |
| Vertenex (32210-23-4)   |                                       |  |
| Partition coefficient n-octanol/water (Log Pow)                         | 4.8 (at 25 °C)                        |  |

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| beta-lonone (14901-07-6)                        |                             |  |
|---|-----------------------------|--|
| Partition coefficient n-octanol/water (Log Pow) | 1.903 (at 27 °C (at pH 5.7) |  |
| Geraniol (106-24-1)                             |                             |  |
| Partition coefficient n-octanol/water (Log Pow) | 2.6 (at 25 °C)              |  |
| Nerol (106-25-2)                                |                             |  |
| Partition coefficient n-octanol/water (Log Pow) | 2.76 (at 30 °C (at pH 6.5)  |  |
| Citronellol Pure (106-22-9)                     |                             |  |
| Partition coefficient n-octanol/water (Log Pow) | 3.41 (at 25 °C)             |  |
| Citral (5392-40-5)                              |                             |  |
| Partition coefficient n-octanol/water (Log Pow) | 2.76 (at 25 °C)             |  |
| Benzyl salicylate (118-58-1)                    |                             |  |
| Partition coefficient n-octanol/water (Log Pow) | 4                           |  |
| Phenylethyl alcohol (60-12-8)                   |                             |  |
| Partition coefficient n-octanol/water (Log Pow) | 1.36 (at 20 °C (at pH 7)    |  |
| Hydroxy (107-75-5)                              |                             |  |
| Partition coefficient n-octanol/water (Log Pow) | 1.68 (at 25 °C)             |  |
| Ethyl acetoacetate (141-97-9)                   |                             |  |
| Partition coefficient n-octanol/water (Log Pow) | 0.8 (at 20 °C)              |  |
| Benzyl acetate (140-11-4)                       |                             |  |
| Partition coefficient n-octanol/water (Log Pow) | 1.96 (at 25 °C (at pH 7)    |  |
| Carbitol (111-90-0)                             |                             |  |
| Partition coefficient n-octanol/water (Log Pow) | -0.8                        |  |
| <del></del>                                     |                             |  |

# 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods Product/Packaging disposal recommendations Ecology - waste materials

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.

9/18/2023 (Issue date) EN (English) 14/19

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**HP Code** 

- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20  $^{\circ}\text{C}$  and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR  | IMDG  | IATA   | ADN   | RID   |
|--|---|--|---|---|
| 14.1. UN number or ID number   |   |  |   |   |
| UN 3082  | UN 3082   | UN 3082  | UN 3082   | UN 3082   |
| 14.2. UN proper shipping   | g name  |  |   |   |
| ENVIRONMENTALLY<br>HAZARDOUS<br>SUBSTANCE, LIQUID,<br>N.O.S. (Iso E Super)             | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)                                   | Environmentally hazardous<br>substance, liquid, n.o.s. (Iso<br>E Super)                    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)                             | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super)                             |
| Transport document descr   | iption  |  |   |   |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, (-) | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Iso E Super), 9, III, MARINE POLLUTANT | UN 3082 Environmentally<br>hazardous substance,<br>liquid, n.o.s. (Iso E Super),<br>9, III | UN 3082<br>ENVIRONMENTALLY<br>HAZARDOUS<br>SUBSTANCE, LIQUID,<br>N.O.S. (Iso E Super), 9, III | UN 3082<br>ENVIRONMENTALLY<br>HAZARDOUS<br>SUBSTANCE, LIQUID,<br>N.O.S. (Iso E Super), 9, III |
| 14.3. Transport hazard o   | class(es)   |  |   |   |
| 9  | 9   | 9  | 9   | 9   |
|  | **************************************  |  |   |   |
| 14.4. Packing group  |   |  |   |   |
| III  | III   | III  | III   | III   |
| 14.5. Environmental haz  | ards  |  |   |   |
| Dangerous for the environment: Yes   | Dangerous for the<br>environment: Yes<br>Marine pollutant: Yes                                      | Dangerous for the environment: Yes   | Dangerous for the environment: Yes  | Dangerous for the environment: Yes  |
| No supplementary informatio  | n available   | <u> </u>   |   | <u> </u>  |

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN): 5 LExcepted quantities (ADN): E1Carriage permitted (ADN): TEquipment required (ADN): PPNumber of blue cones/lights (ADN): 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

: PP1

Safety Data Sheet

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

| EU restriction list (F | EU restriction list (REACH Annex XVII)  |  |  |
|------------------------|---|--|--|
| Reference code         | Applicable on   | Entry title or description   |  |
| 3(a)                   | Lemon oil   | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F   |  |
| 3(b)                   | PETALES ROSES BEL062; Hexyl cinnamic aldehyde; Linalyl acetate; Vertenex; Linalool; Geraniol; Nerol; Citronellol Pure; Citral; Iso E Super; Benzyl salicylate; Phenylethyl alcohol; Triplal (Vertocitral); Hydroxy; Lemon oil; Isocyclocitral; Damascone Beta | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10  |  |
| 3(c)                   | PËTALES ROSES BEL062; Hexyl cinnamic aldehyde; Hexamethylindanopyran; Verdox; beta-lonone; Iso E Super; Benzyl salicylate; Triplal (Vertocitral); Lemon oil; Benzyl acetate; Isocyclocitral; Damascone Beta   | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1  |  |
| 40.                    | Lemon oil   | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. |  |

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Joint storage table

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids.

| : | LGK 1    | LGK 2A  | LGK 2B   | LGK 3    | LGK 4.1A  |
|---|----------|---------|----------|----------|-----------|
|   | LGK 4.1B | LGK 4.2 | LGK 4.3  | LGK 5.1A | LGK 5.1B  |
|   | LGK 5.1C | LGK 5.2 | LGK 6.1A | LGK 6.1B | LGK 6.1C  |
|   | LGK 6.1D | LGK 6.2 | LGK 7    | LGK 8A   | LGK 8B    |
|   | LGK 10   | LGK 11  | LGK 12   | LGK 13   | LGK 10-13 |

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7.

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C.

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Triplal (Vertocitral),Lemon oil are listed SZW-lijst van mutagene stoffen : Triplal (Vertocitral),Lemon oil are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

#### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### **Switzerland**

Storage class (LK) : LK 10/12 - Liquids

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

9/18/2023 (Issue date) EN (English) 19/19

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 16: Other information**

Other information : None.

| Full text of H- and EUH-statements: |   |  |
|-------------------------------------|---|--|
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                                 |  |
| Aquatic Acute 1                     | Hazardous to the aquatic environment – Acute Hazard, Category 1   |  |
| Aquatic Chronic 1                   | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |  |
| Aquatic Chronic 2                   | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |  |
| Aquatic Chronic 3                   | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |  |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1                     |  |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                     |  |
| Flam. Liq. 3                        | Flammable liquids, Category 3                                     |  |
| H226                                | Flammable liquid and vapour.                                      |  |
| H302                                | Harmful if swallowed.   |  |
| H315                                | Causes skin irritation.   |  |
| H317                                | May cause an allergic skin reaction.                              |  |
| H318                                | Causes serious eye damage.  |  |
| H319                                | Causes serious eye irritation.                                    |  |
| H361                                | Suspected of damaging fertility or the unborn child.              |  |
| H400                                | Very toxic to aquatic life.                                       |  |
| H410                                | Very toxic to aquatic life with long lasting effects.             |  |
| H411                                | Toxic to aquatic life with long lasting effects.                  |  |
| H412                                | Harmful to aquatic life with long lasting effects.                |  |
| Repr. 2                             | Reproductive toxicity, Category 2                                 |  |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                             |  |
| Skin Sens. 1                        | Skin sensitisation, Category 1                                    |  |
| Skin Sens. 1B                       | Skin sensitisation, category 1B                                   |  |

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

9/18/2023 (Issue date) EN (English) 20/19